



Master® Cordless Lithium-Ion Clipper

- High-speed rotary motor cuts wet or dry hair | 7,200 SPM
- Unbreakable, aluminum housing for years of dependable styling
- Constant Speed Technology means no dragging or stalling
- Lithium-ion battery delivers over 90 minutes of run time
- Weighs 35% less than the corded Master®

12480 UK/EU/AUS/ARG MLC

Master® Cordless Lithium-Ion Clipper

Rating: 100-240V, 50/60 Hz

Speed: Single Speed

Motor: Rotary - 7,200 SPM

Run Time: 90 Minutes Charge Time: 60 Minutes

Weight (kg): 0.37

Product Dimensions (cm):

24.8h x 12.7w x 8.2d

Master Carton Qty: 6

Master Carton Dimensions (cm):

39.3h x 12.7w x 8.2d

Adjustable blade #74040 (000 to 1)

INCLUDES:

- Premium Charging Stand
- Charging Adapter
- Blade oil

REPLACEMENT BLADES

CERAMIC



Replacement Blade Size 000 to 1 05050

CARBON STEEL



22-Tooth Adjustable Blade Size 000 to 1 74040



Adjustable Fade Blade Size 00000 to 000 74045



28-Tooth Adjustable Blade

Size 000 to 1 01513

CHROME PLATED



22-Tooth Adjustable Blade

Adjustable Blad Size 000 to 1 74070



Adjustable Fade Blade Size 00000 to 000 74075



CLASSIC PRECISION, MODERN PERFORMANCE

Create flawless fades and clean tapers with the cordless version of the Master," renowned for its cutting precision.

Featuring a carbon-steel blade that adjusts from size 000 to 1, we gave this tool the look and feel of the iconic Master, but with state-of-the-art technology.

POWERED TO PERFORM

The Master® Cordless cuts though all hair types – wet or dry – with power to spare due to a high-performance rotary motor. Andis' Constant Speed Technology ensures that it delivers continual, high-speed blade performance (7,200 SPM) without dragging or stalling.

CORDLESS CONVENIENCE

Achieve optimal control and comfort during clipping from the new cordless design – same balance and feel as the traditional Master, but with less weight. Achieve 90 minutes of run time without slowing down thanks to a powerful, lithium-ion battery. Includes cord/cordless flexibility to deliver reliable power behind the chair.

73010 UK/EU/AUS/BRZ LCL	73100 uk/eu/aus/brz LCL
Cordless usPRO Li Adjustable Blade Clipper	Cordless usPRO Fade Li Andis Nation Adjustable Blade Clipper
Rating: 100-240V, 50/60 Hz	100-240V, 50/60 Hz
Speed: Single Speed	Single Speed
Motor: Rotary - 5,500 SPM	Rotary - 5,500 SPM
Run Time: 120 Minutes Charge Time: 90 Minutes	120 Minutes 90 Minutes
Weight (kg):0.28	0.28
Product Dimensions (cm): 25.4h x 20.3w x 6.7d	25.4h x 20.3w x 6.7d
Master Carton Qty: 6	6
Master Carton Qty: 26.4h x 21w x 39.4d	26.4h x 21w x 39.4d
Adjustable blade #66250 000 to 1 (.5 mm to 2.4 mm)	Adjustable fade blade #69130 00000 to 000 (.2 mm to .5 mm)
INCLUDES: • 9 Attachment combs 1/16" (1.55 mm), 3/32" (2.25 mm), 1/8"(3 mm), 3/16" (4.5 mm), 1/4" (6 mm), 3/8" (10 mm), 1/2" (13 mm), 3/4" (19 mm), 1" (25 mm) • Charging adapter • Blade guard • Blade cleaning brush • Blade oil	INCLUDES: • 5 Attachment combs 1/16" (1.55 mm), 3/32" (2.25 mm), 1/8" (3 mm), 3/16" (4.5 mm), 1/4" (6 mm) • Charging adapter • Blade guard • Blade cleaning brush • Blade oil

Features cord/cordless operation for reliability in cutting all day long. Lithium-ion battery boasts over 2 hours of run time and will charge in 90 minutes. Extremely lightweight, blade adjusts from 000 to 1 (.5 mm to 2.4 mm). High-quality carbon-steel blade offers smooth cuts and effortless gliding through any hair type.

Features cord/cordless operation for reliability in cutting all day long. Lithium-ion battery boasts over 2 hours of runtime and will charge in 90 minutes. Extremely lightweight, blade adjusts from 00000 to 000 (.2 mm to .5 mm). High-quality carbon-steel blade offers smooth cuts and effortless gliding through any hair type.





LCL REPLACEMENT BLADES



Replacement Blade 66250



Optional Replacement Blade Size 000 to 1 69115



Replacement Fade Blade 69130

66225 UK 66220 EU 66375 EU 63300 UK 63305 EU 66230 AUS 66595 ARG US-1 63325 AUS 63320 ARG US-1 MC-2 usPRO Adjustable Blade Clipper Fade Adjustable Blade Clipper EasyStyle Adjustable Blade Clipper Rating: 230V, 50 Hz (UK, EU) 240V, 50 Hz (AUS) 220V, 50 Hz (ARG) 230V, 50 Hz 230V, 50 Hz (UK, EU, AUS) 220V, 50 Hz (ARG) **Speed: Single Speed** Single Speed Single Speed Motor: Magnetic - 6,000 SPM Magnetic - 6,000 SPM Magnetic - 6,000 SPM Weight (kg): 0.48 0.48 0.42 **Product Dimensions (cm):** 17.8h x 5.7w x 4.4d 17.8h x 5.7w x 4.4d 17.0h x 5.0w x 4.0d Master Carton Qtv: 6 6 Master Carton Dimensions (cm): 26.4h x 21.0w x 39.4d 26.4h x 21.0w x 39.4d 30.0h x 45.0w x 25.0d Adjustable blade #66250 Adjustable fade blade #69130 Adjustable blade #63315 000 to 1 (.5 mm to 2.4 mm) 00000 to 000 (.2 mm to .5 mm) 000 to 1 (.5 mm to 2.4 mm) INCLUDES: INCLUDES: INCLUDES: • 9 Attachment combs 5 Attachment combs • 7 Attachment combs 7 Attachment comps 1/16" (1.55 mm), 3/32" (2.25 mm), 1/8"(3 mm), 3/16" (4.5 mm), 1/4" (6 mm), 3/8" (10 mm), 1/16" (1.55 mm), 3/32" (2.25 mm), 1/16" (1.55 mm), 3/32" (2.25 mm), 1/8" (3 mm), 3/16" (4.5 mm), 1/4" (6 mm), 3/8" (10 mm), 1/8"(3 mm), 3/16" (4.5 mm), 1/4" (6 mm) 1/2" (13 mm), 3/4" (19 mm), 1" (25 mm) 1/2" (13 mm) Blade guard Blade guard • Blade cleaning brush • Blade guard • Blade cleaning brush • Blade oil • Blade cleaning brush

Powerful magnetic motor generates over 6,000 cutting strokes per minute. Whisper-quiet, smooth-running motor stays cool. Balanced, ergonomic design feels smaller and lighter in your hand. High-speed adjustable blade. Single lever adjusts clipper blade from fine to coarse. Easily cuts wet or dry hair – thick or thin.

Professional quality product designed for complete haircutting use. Powerful, fast-running magnetic motor cuts through all types of hair quickly. Ergonomic design fits comfortably in your hand. Features long-lasting stainless-steel blades.

Blade oil



Blade oil





US-1 REPLACEMENT BLADES



Replacement Blade 66250



Optional Replacement Blade Size 000 to 1 69115



Replacement Fade Blade 69130

MC-2 REPLACEMENT BLADE



Replacement Blade 63315

24100 EU **PM-4**

19055 UK 19050 EU 19060 AUS 19065 ARG **PM-10**

220V, 50 Hz (ARG)

75025 UK/EU/AUS/BRZ/ARG LCL/TS-2

Trend Setter Adjustable Blade Clipper

Rating: 230V, 50 Hz	
---------------------	--

Ultra Clip® Adjustable Blade Clipper 230V, 50 Hz (UK, EU, AUS)

100-240V, 50/60 Hz (Clipper) 100-240V, 50/60 Hz (Shaver)

Speed: Single Speed Motor: Pivot - 3,000 SPM Single Speed Pivot - 3,000 SPM

Single Speed

Cordless Combo

Rotary - 5,500 SPM (Clipper) Rotary - 9,000 SPM (Shaver)

Weight (kg): 0.39

0.27

0.28 (Clipper) 0.13 (Shaver)

Product Dimensions (cm): 16.8h x 5.1w x 4.1d

Master Carton Qty: 6

16.5h x 5.0w x 3.5d 26.9h x 16.8w x 11.7d

Master Carton Dimensions (cm): 26.4h x 21.0w x 39.4d

Adjustable blade 000 to 1 (.5 mm to 2.4 mm)

INCLUDES:

- 9 Attachment combs 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm), 1/2" (13 mm), 5/8" (16 mm), 3/4" (19 mm), 7/8" (22 mm), 1" (25 mm)
- Blade guard
- Blade oil

Lightweight, yet powerful pivot motor clipper is designed for all-around styling and barbering. Pivot motor runs slower, offering greater control. Performs well on wet or dry hair. High-quality, stainlesssteel blades.

21.8h x 26.0w x 12.7d

Adjustable blade 000 to 1 (.5 mm to 2.4 mm)

INCLUDES:

- 6 Attachment combs 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm), 1/2" (13 mm)
- Blade guard
- Blade cleaning brush
- Blade oil

Economical and lightweight pivot motor clipper designed for all-around styling and cutting. Adjustable blade design for cutting versatility. Features long-lasting stainless-steel blades.

28.5h x 37.4w x 34.6d

Adjustable blade #69115 - 000 to 1 (.5 mm to 2.4 mm) (Clipper) Gold titanium hypo-allergenic foils #17160 (Shaver)

- Clipper power adapter
- 9 Clipper attachment combs 1/16" (1.55 mm), 3/32" (2.25 mm), 1/8" (3 mm), 3/16" (4.5 mm), 1/4" (6 mm), 3/8" (10 mm), 1/2" (13 mm), 3/4" (19 mm), 1" (25 mm)
- · BONUS hair grip accessory
- Soft case

- Shaver premium charging stand
- Shaver power adapter
- Clipper blade guard
- Shaver foil guard
- Blade cleaning brush
- Blade oil

CORDLESS usPRO LI ADJUSTABLE BLADE CLIPPER

Features cord/cordless operation for reliability in cutting all day long. Lithium-ion battery boasts over 2 hours of run time and will charge in 90 minutes. Extremely lightweight, blade adjusts from 000 to 1 (.5 mm to 2.4 mm). High-quality carbon-steel blade offers smooth cuts and effortless gliding through any hair type.

PROFOIL® LITHIUM PLUS TITANIUM FOIL SHAVER

Perfect for finishing fades and removing stubble for an ultra-close smooth shave. The staggered hypo-allergenic foil heads provide the perfect cut while the lithium-ion battery provides 80 minutes of nonstop run time on a single charge. Soft-grip for a secure, comfortable feel. Cord/cordless operation. Includes premium charging stand.







LCL REPLACEMENT **BLADE**



Replacement Blade

TS-2 REPLACEMENT **FOIL & CUTTER**





Premium

Charging Stand

Foil & Cutter 17155

Foil Only 17160

The right motor for optimal performance.

Andis® products are among the best cutting, smoothest running and most durable found anywhere in the world. Each utilizes expertly developed motor technology designed to complement the application, ensuring maximum performance. So which type of motor should you choose? Whether magnetic, pivot or rotary motor, your Andis selection will deliver the high-quality results you've come to expect when you pair the correct motor with the right application.



MAGNETIC MOTORS

Reliable Power & High Blade Speed

Magnetic motors run at high speed resulting in smooth cuts. Light textures of hair will feed and cut well with magnetic motor clippers. Less moving parts make these simple, reliable and the longest lasting of all the motors.



PIVOT MOTORS

High Power & Lower Blade Speed

Pivot motors have a lower blade speed than magnetic motors but are twice as powerful. Higher cutting power makes them ideal for cutting thick or heavy hair. They are whisper quiet, cool running and long lasting.



ROTARY MOTORS

High Power & High Blade Speed

Rotary motors have an equal amount of power and blade speed. They are also the only motor available with multiple speeds. Their balance between power, speed, size and weight makes them extremely versatile and perfect for heavy-duty cutting.



BRUSHLESS ROTARY

Brushless motors deliver more power and torque than standard designs. They also last longer and weigh less.

DETACHABLE BLADE CLIPPER

79010 UK/EU/AUS/ARG **DBLC-2**

Supra ZR® II Cordless Detachable Blade Clipper

Rating: 100-240V, 50-60 Hz

Speed: 5-Speed

Motor: Rotary - 1,800-3,800 SPM

Run Time: 150 Minutes **Charge Time: 120 Minutes**

Weight (kg): 0.47

Product Dimensions (cm): 20.6h x 4.8w x 4.6d

Master Carton Qty: 6

Master Carton Dimensions (cm): 26.7h x 28.6w x 42.5d

CeramicEdge Size 000 (.5 mm) Blade #64480

INCLUDES:

- Charging adapter
- Charging stand
- Additional blade drive
- Blade oil

Our most powerful cordless detachable blade clipper features a removable battery pack. Powerful lithium-ion battery can be removed from the unit and charged separately. Improved battery gives longer run time (up to 3 hours) with a 2-hour charge time. Five speeds: Adjustable from 1,800 to 3,800 strokes per minute. Cuts any hair type—wet or dry.



DBLC-2 ACCESSORIES



Removable **Battery Pack** 79025



Charging Stand



Clipper Grip Accessory 12525



LILTRAEDGE Blades

For a dependable, long-life blade, look no further than Andis® UltraEdge® blades. Our exclusive hardening process keeps blades sharper for a longer time. Add a special chrome finish that inhibits corrosion and you have cutting solutions that will last for years.



Flat Top 21641 3/32" (2.4 mm)



Outliner® 64160 1/150" (.1 mm)



00000 64740 1/125" (.2 mm)



0000 64074 1/100" (.3 mm)



000 64073 1/50" (.5 mm)



0A 64210 3/64" (1.2 mm)



1 64070 3/32" (2.4 mm)



1A 64205 1/8" (3.2 mm)



1-1/2 64077 5/32" (4 mm)



2 64078 1/4" (6.3 mm)



2-3/4 63165 5/16" (7.9 mm)



3-1/2 64089 3/8" (9.5 mm)



3-3/4 FC 64135 1/2" (13 mm)



5/8" HT 64930 5/8" (16 mm)



3/4" HT 63980 3/4" (19 mm)

MASTER YOUR CRAFT

Discover how to take your skills to the next level with world-class education and tools from Andis. Our robust selection has what you need to guide you on your journey to career success. LEARN with video tutorials

CONNECT with master barbers

GROW with hands-on experiences

andis.com



CERAMICEDGE Blades

For clippers that get a workout all day long, consider Andis® CeramicEdge® blades. Our advanced formula ceramic cutter stays up to 75% cooler than steel and provides increased durability and a long-lasting edge.



00000 64730 1/125" (.2 mm)



000 64480 1/50" (.5 mm)



0A 64470 3/64" (1.2 mm)



1 64465 3/32" (2.4 mm)



1A 63055 1/8" (3.2 mm)



1-1/2 63015 5/32" (4 mm)



2 63030 1/4" (6.3 mm)



3-1/2 63040 3/8" (9.5 mm)



Medium Cutter 64445 Fits blade sizes 00000, 0000, 000



Coarse Cutter

64440 Fits blade sizes 0A, 1, 1A, 1-1/2, 2, 3-1/2, 3-3/4, 3-3/4 FC, 5/8"HT, 3/4"HT

STORAGE SOLUTIONS



Blade Carrying Case 12370 Holds 12 blades. (Blades not included)





Tool Tote Bag 66555Sturdy, versatile tote bag is equipped with a shoulder carrying strap. Features a zippered top and front compartment, with additional pockets on the interior to allow for organization during use.





Oval Accessory Bag 12430 The store-all, go anywhere solution for any of your Andis® tools.

05105 EU/AUS/BRZ G-I

T-Outliner® Trimmer

Rating: 100-240V, 50/60 Hz

Speed: Single Speed

Motor: Magnetic - 7,200 SPM

Weight (kg): 0.33

Product Dimensions (cm):

20.2h x 13.2w x 10.9d

Master Carton Qty: 6

Master Carton Dimensions (cm):

34.0h x 27.7w x 21.3d

Close-cutting, stainless-steel deep-tooth T-blade #04945 (.25 mm)

CAN BE ZERO GAPPED

INCLUDES:

• Blade oil

The same legendary cutting performance as the American version, without the hassle of power converters. Powerful, high-speed magnetic motor runs cool and quiet, delivering over 7,200 cutting strokes per minute. Close-cutting, stainless-steel F-blade for outlining, dry shaving and fading – may be zero gapped. Deep-tooth design allows longer hair to feed through faster and can be used for light fading. High-quality product engineered and produced in the USA.



G-I ACCESSORIES SEE PAGE 16 FOR ANDIS BLADE ZERO GAPPER TOOL



T-blade 04521



Deep-Tooth T-blade 04850



Stainless-Steel T-blade 04565



Stainless-Steel Deep-Tooth T-blade 04945



Ceramic T-blade 04720



Trimmer Grip Accessory



Freedom to Roam. Power to Last.

- Cord/cordless operation with lithium-ion battery; over 100 minutes of run time
- Extremely powerful rotary motor provides blade speeds over 7,200 strokes per minute
- Includes constant speed motor technology for ultimate blade performance through all hair types
- Premium Andis® T-Outliner® carbon-steel blade has the ability to be zero-gapped
- Features an LED light indicating power levels

74005 UK/EU/AUS/BRZ/ARG

Cordless T-Outliner® Li Rechargeable Trimmer

Rating: 100-240V, 50/60 Hz **Speed: Single Speed**

Motor: Rotary - 7,200 SPM Run Time: 100 minutes Charge Time: 60 minutes

Weight (kg): 0.22

Product Dimensions (cm): 14.6h x 4.5w x 3.5d

Master Carton Qty: 6

Master Carton Dimensions (cm): 39.3h x 20.3w x 27.6d

Deep-tooth stainless-steel T-blade #04575 (.25mm)

CAN BE ZERO GAPPED

INCLUDES:

- 4 Attachment combs #0 (1/16"), #1 (1/8"), #2 (1/4"), #3 (3/8")
- · Premium charging stand
- Charging adapter
- Blade oil

ACCESSORY:

• Trimmer Grip Accessory #12565

REPLACEMENT BLADES

STAINLESS-STEEL



ORL T-Outliner® Blade 04570



GTX™ Deep-Tooth Blade 04575

CARBON STEEL



ORL T-Outliner® Blade 04535



ORL **Square Blade** 04545



ORL GTX™ Blade 04555

CERAMIC



ORL **Ceramic T-Blade** 04590

32695 UK/EU/AUS/ARG D-8	32485 UK/EU/AUS/ARG D-8	32445 UK/EU/AUS/ARG D-8	32620 UK/EU/AUS/ARG D-8	32685 UK/EU/AUS/ARG D-8
Slimline Pro GTX Cord/ Cordless Rechargeable Trimmer—Wide Blade	Slimline Pro Li Cord/ Cordless Rechargeable Trimmer—Black	Slimline Pro Li Cord/ Cordless Rechargeable Trimmer—Chrome	Slimline Pro Li Cord/ Cordless Rechargeable Trimmer—Sugar Skull	Slimline Pro Li Andis Nation Cord/Cordless Rechargeable Trimmer
Rating: 100-240V, 50/60 Hz	100-240V, 50/60 Hz	100-240V, 50/60 Hz	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Speed: Single Speed	Single Speed	Single Speed	Single Speed	Single Speed
Motor: Rotary - 6,000 SPM	Rotary - 6,000 SPM	Rotary - 6,000 SPM	Rotary - 6,000 SPM	Rotary - 6,000 SPM
Run Time: 120 Minutes Charge Time: 150 Minutes	120 Minutes 150 Minutes	120 Minutes 150 Minutes	120 Minutes 150 Minutes	120 Minutes 150 Minutes
Weight (kg): 0.14	0.14	0.14	0.14	0.14
Product Dimensions (cm): 15.6h x 3.5w x 3.5d	15.6h x 3.5w x 3.5d	15.6h x 3.5w x 3.5d	15.6h x 3.5w x 3.5d	15.6h x 3.5w x 3.5d
Master Carton Qty: 6	6	6	6	6
Master Carton Dimensions (cm): 26.4h x 21.0w x 39.4d	26.4h x 21.0w x 39.4d	26.4h x 21.0w x 39.4d	26.4h x 21.0w x 39.4d	26.4h x 21.0w x 39.4d
Comfort Edge® wide GTX stainless-steel blade #32735	Close-cutting stainless-steel T-blade #32225 (.5 mm)	Close-cutting stainless-steel T-blade #32225 (.5 mm)	Close-cutting stainless-steel T-blade #32225 (.5 mm)	Close-cutting stainless-steel T-blade #32225 (.5 mm)
		CAN BE Z	ERO GAPPED	

INCLUDES:

- 4 Attachment combs 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm)
- Charging adapter
- Charging standBlade cleaning brush
- Blade oil

The Wide GTX blade's deeptooth pattern allows more hair to feed faster, without sacrificing precision and can also be zero gapped. The wider blade creates an improved line of sight to the cutting surface making it easier to perform precision trimming.

INCLUDES:

- 4 Attachment combs 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm)
- Charging adapter
- Charging standBlade cleaning brush
- Blade oil

INCLUDES:

- 4 Attachment combs 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm)
- Charging adapter
- Charging standBlade cleaning brush
- Blade oil

INCLUDES:

- 4 Attachment combs 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm)
- Charging adapter
- Charging standBlade cleaning brush
- Blade oil

INCLUDES:

- 4 Attachment combs 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm)
- Charging adapter
- Charging standBlade cleaning brush
- Blade oil

Balanced, ergonomic trimmer for light-duty touch-ups and trimming necklines. Sleek, lightweight, cord/cordless design for greater flexibility. Close-cutting, stainless-steel T-blade. Lithium-ion battery delivers up to 2 hours of run time with a 2 1/2 hour charge time. Improved motor for increased speed, power and life.











D-8 REPLACEMENT BLADES



T-Blade 32105



Stainless-Steel T-Blade 32225



Stainless-Steel Wide Blade 32735

ACCESSORY



Trimmer Grip Accessory 12575

24570 UK/EU/AUS CLT	13540 GLOBAL NT-2
MultiTrim Trimmer Kit	Fast Trim Personal Trimmer
Rating: 100-240V, 50-60 Hz	-
Speed: Single Speed	Single Speed
Motor: Rotary - 5,000 SPM	Rotary - 7,000 SPM
Run Time: 80 Minutes Charge Time: 90 Minutes	-
Weight (kg): 0.09	0.05
Product Dimensions (cm): 14.6h x 3.2w x 3d	13.3h x 3.2w x 3.5d
Master Carton Qty: 4	6
Master Carton Dimensions (cm): 25.0h x 24.0w x 18.0d	15.9h x 29.2w x 20.3d
Stainless-steel T-blade #24580 (.5 mm)	Surgical stainless-steel blade
INCLUDES: Reversible attachment comb Size 0 and 1 Reversible attachment comb Size 2 and 3 Charging stand Charging adapter Blade cleaning brush Blade oil	INCLUDES: • 1 AA battery • Blade cap
Extremely lightweight and compact cordless trimmer, T-blade ideal for trimming and edging. Featuring a long-lasting lithium-ion battery for 80 minutes of run time and fine-cutting stainless-steel blades for corrosion resistance.	Battery operated trimmer for nasal hair, eyebrows and ear hair. Rustproof surgical stainless-steel blades rinse clean easily, trim hair close and are safer than shears. Protective cap keeps blades safe for travel and storage. Operates on 1 AA battery.





CLT REPLACEMENT BLADE



Replacement Blade 24580

17225 UK/EU/AUS/BRZ/ARG TS-1	17170 UK/EU/AUS/BRZ/ARG TS-1	17205 UK/EU/AUS/BRZ/ARG TS-2
Copper ProFoil® Lithium Titanium Foil Shaver	ProFoil® Lithium Titanium Foil Shaver	ProFoil® Lithium Plus Titanium Foil Shaver
Rating: 100-240V, 50-60 Hz	100-240V, 50-60 Hz	100-240V, 50-60 Hz
Speed: Single Speed	Single Speed	Single Speed
Motor: Rotary - 9,000 SPM	Rotary - 9,000 SPM	Rotary - 9,000 SPM
Run Time: 80 Minutes Charge Time: 120 Minutes	80 Minutes 120 Minutes	80 Minutes 120 Minutes
Weight (kg): 0.13	0.13	0.13
Product Dimensions (cm): 12.1h x 7.3w x 3.5d	12.1h x 7.3w x 3.5d	12.1h x 7.3w x 3.5d
Master Carton Qty: 6	6	6
Master Carton Dimensions (cm): 26.4h x 21.0w x 39.4d	26.4h x 21.0w x 39.4d	26.4h x 21.0w x 39.4d
Titanium foil assembly and inner cutter #17230	Titanium foil assembly and inner cutter #17155 Titanium foil assembly #17160	Titanium foil assembly and inner cutter #17155 Titanium foil assembly #17160
INCLUDES: • Charging adapter • Cleaning brush • Foil guard	INCLUDES: Charging adapter Cleaning brush Foil guard	INCLUDES: • Premium charging stand • Charging adapter • Cleaning brush • Foil guard
The Copper ProFoil® shaver model is elevated in status with the addition of a stylish and durable housing in	Perfect for finishing fades and removing stubble for an ultra-close smooth shave. The staggered hypo-	Perfect for finishing fades and removing stubble for an ultra-close smooth shave. The staggered hypo-

The Copper ProFoil® shaver model is elevated in status with the addition of a stylish and durable housing in premium metallic copper colorway. It features the same powerful, yet quiet, rotary motor powered by a lithium-ion battery. It delivers up to 80 minutes of run time on a single charge. The shaver weighs less than 5 oz. and uses gold, titanium hypoallergenic foils for a close shave without irritation.

Perfect for finishing fades and removing stubble for an ultra-close smooth shave. The staggered hypoallergenic foil heads provide the perfect cut while the lithium-ion battery provides 80 minutes of nonstop run time on a single charge. Cord/cordless operation also guarantees that you never have to stop shaving even if your charge gets low.

Perfect for finishing fades and removing stubble for an ultra-close smooth shave. The staggered hypoallergenic foil heads provide the perfect cut while the lithium-ion battery provides 80 minutes of nonstop run time on a single charge. Soft-grip for a secure, comfortable feel. Cord/cordless operation also guarantees that you never have to stop shaving even if your charge gets low. Includes premium charging stand.







TS-1, TS-2 ACCESSORIES



Replacement Foil & Cutter 17230



Replacement Foil & Cutter 17155



Replacement Foil Only 17160



Replacement Cord 17190 (Includes EU, UK, US, AUS and BRZ Plugs)



Replacement Charging Stand (TS-2 Only) 17210

CLIPPER REPLACEMENT BLADES



US-1/LCL/AAC-1 Adjustable Blade Size 000-1 69115



US-1/LCL/AAC-1 Adjustable Fade Blade Size 00000-000 69130



MC-2 Adjustable Blade Size 000-1



US-1, LCL Adjustable Blade Size 000-1 66250



MLC Chrome Plated, 22-Tooth Chrome Plated Adjustable Blade Size 000-1 74070



MLC Adjustable Fade Blade Size 00000-000 74075



MLC Ceramic Adjustable Fade Blade Size 00000-000 05050

TRIMMER AND SHAVER REPLACEMENTS



CLT Stainless-Steel Replacement Blade



D-8 Carbon Steel T-Blade



D-8 Stainless-Steel T-Blade 32225



D-8 Stainless-Steel Wide Blade



G-I Stainless-Steel T-Blade 04565



G-I Carbon Steel T-Blade 04521



G-I/GTX Stainless-Steel Deep-tooth T-Blade 04945



GI/GTX Carbon Steel Deep-tooth T-Blade 04850



GO Carbon Steel Square Blade 04604



ORL Carbon Steel T-Blade & Bracket 04535



ORL Stainless-steel T-Blade & Bracket 04570



ORL Carbon Steel Deep-Tooth T-Blade & Bracket 04555



Stainless-Steel Deep-Tooth T-Blade & Bracket 04575



ORL Ceramic T-Blade



ORL Carbon Steel Square Blade & Bracket 04545



ORL Replacement Bracket



Andis[®] Blade Zero Gapper 04880 Designed to easily Zero Gap Andis Outliner®, T-Outliner® and Styliner® blades.



TS-1, TS-2 Titanium Foil Assembly and Inner Cutter 17155



TS-1, TS-2 Titanium Foil Assembly 17160



TS-1 Copper Foil Assembly and Inner Cutter 17230

ATTACHMENT COMB SETS



Snap-On Blade Attachment Combs, 11 Combs

Sizes 0, 0.5, 1, 1.5, 2, 3, 4, 5, 6, 7, 8 – 1/16" (1.55 mm), 3/32" (2.25 mm), 1/8" (3 mm), 3/16" (4.5 mm), 1/4" (6 mm), 3/8" (10 mm), 1/2" (13 mm), 5/8" (16 mm), 3/4" (19 mm), 7/8" (22 mm), 1" (25 mm)

Fits Models: AAC-1, LCL, US-1

6656



Snap-On Blade Attachment Combs, 2 Combs

Sizes 0.5, 1.5 - 3/32" (2.25 mm), 3/16" (4.5 mm) Fits Models: AAC-1, LCL, US-1

66590



BG Series Premium Metal Clip Combs, 7 Combs

Sizes 0, 1, 2, 3, 4, 6, 8 – 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm), 1/2" (13 mm), 3/4" (19 mm), 1" (25 mm)

Fits all Andis Detachable Blade Models

33640



Snap-On Blade Attachment Combs for T-Blade, 4 Combs

Sizes 0, 1, 2, 3 - 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm)

Fits Models: D-7, D-8

32196



Snap-On Blade Attachment Combs for T-Blade, 4 Combs

Sizes 0, 1, 2, 3 - 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm)

Fits Models: GTO, GTX, RT-1, ORL

23575



Single Magnetic Attachment Comb Small Set, 5 Combs

Sizes 0, 1, 2, 3, 4 – 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm), 1/2" (13 mm) Fits Models: AAC-1, LCL, US-1, PM Family

66345



Single Magnet Attachment Comb Large Set, 4 Combs

Sizes 5, 6, 7, 8 – 5/8" (16 mm), 3/4" (19 mm), 7/8" (22 mm), 1" (25 mm)

Fits models: AAC-1, LCL, US-1, PM Family

66320



Single Magnet Attachment Comb Dual Pack, 2 Combs

Sizes 0.5, 1.5 – 3/32" (2.25 mm), 3/16" (4.5 mm)

Fits models: AAC-1, LCL, US-1, PM Family

66560



Master®

Premium Metal Clip Combs, 7 Combs

Sizes 0, 1, 2, 3, 4, 6, 8 – $1/16^\circ$ (1.55 mm), $1/8^\circ$ (3 mm), $1/4^\circ$ (6 mm), $3/8^\circ$ (10 mm), $1/2^\circ$ (13 mm), $3/4^\circ$ (19 mm), 1° (25 mm)

Fits Models: AAC-1, LCL, ML, MLC, US-1

33645



Master[®]

Dual Magnet Attachment Comb Small Set, 5 Combs

Sizes 0, 1, 2, 3, 4 - 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm), 1/2" (13 mm) Fits Models: ML, MLC

01410



Master®

Dual Magnet Attachment Comb Large Set, 4 Combs

Sizes 5, 6, 7, 8 – 5/8" (16 mm), 3/4" (19 mm), 7/8" (22 mm), 1" (25 mm)

Fits Models: ML, MLC

01415



Master

Dual Magnet Attachment Comb Dual Pack, 2 Combs

Sizes 0, 1 – 1/16" (1.55 mm), 1/8" (3 mm)

Fits Models: ML, MLC

01900



Master®

Dual Magnet Attachment Comb Dual Pack, 2 Combs

Sizes 0.5, 1.5 - 3/32" (2.25 mm), 3/16" (4.5 mm)

Fits Models: ML, MLC

01420



Master[®]

Snap-on Blade Attachment Combs, 7 Combs

Sizes 0, 1, 2, 3, 4, 6, 8 – 1/16" (1.55 mm), 1/8" (3 mm), 1/4" (6 mm), 3/8" (10 mm), 1/2" (13 mm), 3/4" (19 mm), 1" (25 mm)

Fits Models: ML, MLC

01380

MAINTENANCE PRODUCTS

Cool Care Plus®

Spray can, 15.5 oz - 12 to a case

Cool Care Plus® is a 5-in-one coolant, lubricant, cleaner, rust preventative and disinfectant (virucide, fungicide, bactericide and tuberculocide) with a country-fresh scent. Do all of this in one step without removing the blade from the clipper. High-pressure comfort tip nozzle quickly sprays hair out of blade teeth. Cool Care Plus® has demonstrated effectiveness against viruses similar to SARS-CoV-2 on hard, non-porous surfaces.



Andis® Clipper Oil

4 oz bottles - case of 48

Use Andis® clipper oil to lubricate and clean blades. Brush hair from the blades, add 5 drops and wipe away excess oil with clean cloth. Hang or store your Andis® clipper with the blades down to prevent excess oil from entering the clipper body.



Blade Care Plus®

12570 (Jar) & 12590 (Spray Bottle)

Dip jar, 16.5 oz - 12 to a case Spray bottle, 16 oz - 12 to a case

In just 10 seconds, Blade Care Plus® leaves blades clean, lubricated and cool for optimal performance. Formulated for use by hair stylists, barbers, animal groomers and veterinarians, this 7-in-one, Vitamin E enriched formula cools, deodorizes, lubricates, cleans, prevents rust and decontaminates. Dip any detachable blade in the jar or conveniently spray blades to rinse away hair, buildup and preservatives.



Blade Brush

The blade brush is a convenient, safe way to keep clipper and trimmer blades clean in between grooming. The broad bristle design ensures a clean blade in just a few strokes.



ACCESSORIES

Clipper Combs

Styling &

12410

control

Cutting Comb

Classic cutting comb

shape with wide teeth for

low-tension cutting and

fine teeth for precision

12109, 12499 & 12455

Great for clipper cuts and flattops.

Black - (12109) Use when working with light-colored hair.

White - (12499) Use when working with dark-colored hair.

Barber

Classic taper comb shape

low-tension cutting and fine

teeth for precision control.

with wide teeth for

Pink - (12455) Use when working with any color of hair.



Increases grip and control of the clipper while in use. Fits Andis Models BDC, DBLC Series, SMC. One clipper grip accessory per package.

Outliner® Series Trimmer Grip Accessory

Detachable Blade Clipper

Grip Accessory

12565

NEW

Increases grip and control of the trimmer while in use. Fits Andis Models GO, GTO, GI, ORL. One trimmer grip accessory per package.

Slimline Pro® Series Trimmer **Grip Accessory**

12575

Increases grip and control of the trimmer while in use. Fits Andis model D-8. One trimmer grip accessory per package.







Hair Gripper Accessory

12800

Andis hair gripper accessories hold longer hair during clipping and trimming. Reusable, easy on and off-won't damage hair. Two pieces per package.



Andis® Barber Cape

12810

Lightweight, breathable fabric. Anti-static and water repellent. Adjustable snap closure for easy application and removal. Machine washable in cold or warm water with like colors. Tumble dry on lowest heat setting. Do not iron or apply direct heat. One size.



Andis® Disposable **Barber Cape**

85565

One time use cape for quick, clean transition between clients. Adjustable for different neck sizes. One size. 12 capes per package











ADJUSTABLE BLADE ITEM	CLIPPERS DESCRIPTION	WEIGHT	MOTOR	SPM	MADE IN	BLADE	PAGE #
UK/EU/AUS/BRZ 73010	LCL Cordless USPRO Li Adjustable Blade Clipper	0.28 kg	Rotary	5,500	USA*	66250	4
UK/EU/AUS/BRZ 73100	LCL Cordless USPRO Li Fade Andis Nation Adjustable Blade Clipper	0.28 kg	Rotary	5,500	USA*	69130	4
UK 63300 / EU 63305 / AUS 63325 / ARG 63320	MC-2 EasyStyle Adjustable Blade Clipper	0.42 kg	Magnetic	6,000	China	63315	5
UK/EU/AUS/ARG 12480	MLC Cordless Master®	0.37 kg	Rotary	7,200	USA*	74070	2-3
EU 24100	PM-4 Trend Setter Adjustable Blade Clipper	0.39 kg	Pivot	3,000	China	23435	6
UK 19055 / EU 19050 / AUS 19060 / ARG 19065	PM-10 Ultra Clip® Adjustable Blade Clipper	0.27 kg	Pivot	3,000	China	-	6
UK 66225 / EU 66220 / AUS 66230 ARG 66595	US-1 USPRO Adjustable Blade Clipper	0.48 kg	Magnetic	6,000	USA*	66250	5
EU 66375	US-1 Fade Adjustable Blade Clipper	0.48 kg	Magnetic	6,000	USA*	69130	5

COMBO KIT	DESCRIPTION	WEIGHT	MOTOR	SPM	MADE IN	BLADE	PAGE #
	DESCRIPTION	WEIGHT	IIIO I OIL	31 I II	1007001111	DEADE	1.7.01 "
UK/EU/AUS/BRZ/ARG 75025	LCL/TS-2 Cordless Combo	0.28 kg (Clipper) 0.13 kg (Shaver)	Rotary (Clipper) Rotary (Shaver)	5,500 (Clipper) 9,000 (Shaver)		69130 (Clipper) 17160 (Shaver)	6

DETACHABLE BLADI	E CLIPPER						
ITEM	DESCRIPTION	WEIGHT	MOTOR	SPM	MADE IN	BLADE	PAGE #
UK/EU/AUS/ARG 79010	DBLC-2 Supra ZR® II Cordless Detachable Blade Clipper	0.47 kg	Rotary	1,800-3,800	USA*	64480	8

CORDED TRIMMER							
ITEM	DESCRIPTION	WEIGHT	MOTOR	SPM	MADE IN	BLADE	PAGE #
EU/AUS/BRZ 05105	G-I T-Outliner® Trimmer	0.33 kg	Magnetic	7,200	USA*	04945	11

CORDLESS TRIMME ITEM	RS & SHAVING DESCRIPTION	WEIGHT	MOTOR	SPM	MADE IN	BLADE	PAGE #
UK/EU/AUS 24570	CLT MultiTrim Trimmer Kit	0.09 kg	Rotary	5,000	China	24580	14
UK/EU/AUS/ARG 32485	D-8 Slimline Pro Li Cordless Rechargeable Trimmer (Black)	0.14 kg	Rotary	6,000	USA*	32225	13
UK/EU/AUS/ARG 32445	D-8 Slimline Pro Li Cordless Rechargeable Trimmer (Chrome)	0.14 kg	Rotary	6,000	USA*	32225	13
UK/EU/AUS/ARG 32620	D-8 Slimline Pro Li Cordless Rechargeable Trimmer (Sugar Skull)	0.14 kg	Rotary	6,000	USA*	32225	13
UK/EU/AUS/ARG 32685	D-8 Slimline Pro Li Cordless Rechargeable Trimmer (Andis Nation)	0.14 kg	Rotary	6,000	USA*	32225	13
UK/EU/AUS/ARG 32695	D-8 Slimline Pro Li Cordless Rechargeable Trimmer (Wide Blade)	0.14 kg	Rotary	6,000	USA*	32735	13
GLOBAL 13540	NT-2 Fast Trim Personal Trimmer	0.13 kg	Rotary	7,000	China	-	14
UK/EU/AUS/BRZ/ARG 74005	ORL Cordless T-Outliner® Li Rechargeable Trimmer	0.22 kg	Rotary	7,200	USA*	04575	12
UK/EU/AUS/BRZ/ARG 17225	TS-1 Copper ProFoil® Lithium Titanium Foil Shaver	0.13 kg	Rotary	9,000	China	17230	15
UK/EU/AUS/BRZ/ARG 17170	TS-1 ProFoil® Lithium Titanium Foil Shaver	0.13 kg	Rotary	9,000	China	17160	15
UK/EU/AUS/BRZ/ARG 17205	TS-2 ProFoil® Lithium Plus Titanium Foil Shaver	0.13 kg	Rotary	9,000	China	17160	15

 $[\]ensuremath{^{\star}}$ Made in USA of domestic and foreign parts.

SALES CONTACTS

WORLD HEADQUARTERS TJ Dickinson

Director of International Sales Sturtevant, Wisconsin USA E-Mail: tjdickinson@andisco.com

E-Mail: tjdickinson@andisco.co Phone: 1 262 884 2600 Fax: 1 262 884 1100

USA Information: info@andisco.com

Website: andis.com

CENTRAL & SOUTH AMERICAHector Contreras

E-Mail: hcontreras@andisco.com Phone: +1 262 321 1711

EUROPE Richard Clarke

E-Mail: rclarke@andisco.com Phone: +44 1227 713311

EUROPE, MIDDLE EAST & AFRICA Ricardo Graça

E-Mail: rgraca@andisco.com Phone: +351 914 393 238

ASIA PACIFIC Rohit Sood

E-Mail: rsood@andisco.com Phone: +91 9811299392













